



Gun Mfg. / Model	BBL.	2	200	2005	295	2955	070	0705	6004	6005	284	6280	6285	5181	5187	5188	6281	6518	6360	6365	6304	6305	
1911 w/Dawson light adaptor w/Surefire Military 6V light system (Model #DP037)	5.00"								538	538													
<b>Colt</b>		<b>2</b>	<b>200</b>	<b>2005</b>	<b>295</b>	<b>2955</b>	<b>070</b>	<b>0705</b>	<b>6004</b>	<b>6005</b>	<b>284</b>	<b>6280</b>	<b>6285</b>	<b>5181</b>	<b>5187</b>	<b>5188</b>	<b>6281</b>	<b>6518</b>	<b>6360</b>	<b>6365</b>	<b>6304</b>	<b>6305</b>	
Combat Elite w/Sure Fire 3V #310	5.00"								533	533													
Combat Elite w/Sure Fire 6V #610R	5.00"								536	536													
Combat Target w/Sure Fire 3V #310	5.00"								533	533													
Delta Elite w/Sure Fire 3V #310	5.00"								533	533													
Delta Elite w/Sure Fire 6V Light #610R	5.00"								536	536													
Delta Gold Cup w/Sure Fire 3V Light #310	5.00"								533	533													
Delta Gold Cup w/Sure Fire 6V Light#610R	5.00"								536	536													
Gld Cup Ntl Match w/Sure Fire3V Light#310	5.00"								533	533													
Gld Cup Ntl Match w/Sure Fire 6V Light#610R	5.00"								536	536													
1911-A1 Non Rail, w/Surefire mount MR07, w/Surefire x200 Light	5.00"								530	530		530	530					530	530				
Gov't. 1911 w/Sure-Fire 3v #310	5.00"								533	533													
Gov't. 1911 w/Sure-Fire 6v #610R	5.00"								536	536													
<b>FN</b>		<b>2</b>	<b>200</b>	<b>2005</b>	<b>295</b>	<b>2955</b>	<b>070</b>	<b>0705</b>	<b>6004</b>	<b>6005</b>	<b>284</b>	<b>6280</b>	<b>6285</b>	<b>5181</b>	<b>5187</b>	<b>5188</b>	<b>6281</b>	<b>6518</b>	<b>6360</b>	<b>6365</b>	<b>6304</b>	<b>6305</b>	
Five-Seven w/ Tactical Illuminator light refire M3, M6 or M3 LED <b>N/A for M3X/M6X. Or Streamlight TLR-1 and TLR-2. Note: holster will not retain weapon without light attached.</b>	4.80"								6121	6121		6121	6121					6121	6121				
<b>Glock</b>		<b>2</b>	<b>200</b>	<b>2005</b>	<b>295</b>	<b>2955</b>	<b>070</b>	<b>0705</b>	<b>6004</b>	<b>6005</b>	<b>284</b>	<b>6280</b>	<b>6285</b>	<b>5181</b>	<b>5187</b>	<b>5188</b>	<b>6281</b>	<b>6518</b>	<b>6360</b>	<b>6365</b>	<b>6304</b>	<b>6305</b>	
17, 22 w/ Surefire X200	4.50"								836	836		836	836					836	836				
17, 22 W/ ITI Streamlight M3, TLR-1, Surefire X200, LAS-TAC 2	4.50"														832	832							
17, 22 W/ ITI Streamlight M3, TLR-1, Surefire X200, LAS-TAC 2 <b>NOTE: This Holster will retain weapon with or without light attached.</b>	X 4.50"																		832	832	832	832	
17, 22 W/ ITI Streamlight M3/M6, TLR-1,TLR-2, Surefire X200, LAS-TAC 2	4.50"													8321	8321								
37 with Glock Tactical Light, GTL 10 (light only)	4.50"								7837	7837		7837	7837					7837	7837				
17, 22, 31w/Glock Tactical Light Systems: GTL 10 (light only), GTL21,GTL22 (light laser combo), GTL51 (light/laser combination), GTL52(light/laser with dim-switch) Note:holster will not retain weapon without light attached	4.50"								8310	8310		8310	8310		8310	8310	8310	8310					
17, 22, 31 w/ITI Streamlight M3 with or w/out light	X 4.50"		832						832	832		832	832									832	832
17, 22, 31 w/Insight Technology Streamlight M3X/M6X	4.50"								8312	8312		8312	8312					8312	8312				
17, 22, 31 w/Sure Fire P111, P111C or P111D with trigger guard rail mount with or w/out light	X 4.50"								830	830		830	830										
17, 22, 31 w/ITI LAM UNIT	4.50"								835	835		835	835										
17, 22, 31 w/Glock Tactical Light	4.50"								837	837		837	837										
17, 22, 31,23 M3, M6 or M3 LED IT Tactical Light and Streamlight TLR-1 and TLR-2	4.50"								8321	8321		8321	8321					8321	8321				
Glock 17/22 4.50" BBL with the Oerlikon Contraves LLM-01 Module with Filter	4.50"								8341	8341		8341	8341					8341	8341				
17, 22, 31 w/ Oerlikon LAM Module (#LLM01)	4.50"								834	834													
19, 23 W/ ITI Streamlight M3, TLR-1, Surefire X200, LAS-TAC 2 <b>Note: Holster will not retain weapon without light attached</b>	4.0"														832	832							
19,19C,23,23C w/ Surefire X200	4.00"								2830	2830		2830	2830					2830	2830				
19,19C,23,23C,25,32, 32C w/ITStreamlight M3 (with or w/out light)	X 4.00"								2832	2832		2832	2832										
19, 23 w/Glock Tactical Light Systems: GTL 10 (light only) <b>Note: N/A: for Glock light system</b> GTL21,GTL22 (light laser combo) <b>Note: holster will not retain weapon without light attached</b>	4.00"								2837	2837		2837	2837					2837	2837				

Gun Mfg. / Model		BBL.	2	200	2005	295	2955	070	0705	6004	6005	284	6280	6285	5181	5187	5188	6281	6518	6360	6365	6304	6305	
20,21, w/STD Glock Rails w/Glock Tactical light, GTL 10 (light only)		4.60"								3837	3837		3837	3837										
21SF w/STD Glock Rails w/Glock Tactical light, GTL 10 (light only)		4.60"								3837	3837		3837	3837										
20, 21 w/STD Glock Rails W/ ITI Streamlight M3, TLR-1, Surefire X200, LAS-TAC 2		4.6"														3832	3832							
20, 21 w/STD Glock Rails w/Sure-Fire Millennium 9V, # M111.M111C.M111D w/trigger guard light rail mount		4.60"								3839	3839		3839	3839										
20, 21, w/STD Glock Rails with Surefire X200 light <b>Note: holster will not retain weapon without light attached</b>		4.60"								3830	3830		3830	3830				3830	3830					
21SF w/STD Glock Rails with Surefire X200 light <b>Note: holster will not retain weapon without light attached</b>		4.60"								3830	3830		3830	3830										
17, 19, 22, 23 w/Sure-Fire 6v #644R		4.00"								831	831													
20,21 w/STD Glock Rails w/Laser/Tac 2 (6v) from Laser Device Inc.Or Streamlight TLR-1 and TLR-2		4.50"								38321	38321		38321	38321				38321	38321					
21SF w/STD Glock Rails w/Laser Device Inc, Laser-Tac 2 (6V) Or Streamlight TLR-1		4.60"								38321	38321		38321	38321										
20, 21 w/Standard Glock Rails w/Sure-Fire 6V Light #645AR		4.60"								3831	3831													
21SF w/STD Glock Rails with Surefire 6V light #645AR		4.60"								3831	3831													
34, 35 w/ITI Streamlight M3 <b>with or w/out light</b>	X	5.32"								6832	6832		6832	6832				6832	6832					
34, 35 w/IT Tactical Illuminator Light M3, M6 or M3 LED.Or TLR-1 and TLR-2 <b>Note: N/A for M3X/M6X. Note: holster will not retain weapon without light attached.</b>		5.30"								68321	68321		68321	68321				68321	68321					
20, 20C, 21, 21C w/Streamlight M3, M6 or M3 LED; <b>Note: holsters listed will not retain the handgun w/out the light attached</b>										38321	38321		38321	38321				38321	38321					
21SF w/STD Glock Rails with Streamlight M3, M6, or M3 LED. <b>Note: holsters will not retain weapon without the light attached.</b>										38321	38321		38321	38321										
<b>Heckler &amp; Koch</b>			2	200	2005	295	2955	070	0705	6004	6005	284	6280	6285	5181	5187	5188	6281	6518	6360	6365	6304	6305	
USP 9, 40 w/H&K Light (UTL)		4.13"								932	932		932											
USP 9, 40 w/ Surefire Mount and Surefire P105 / P115 Light		4.13"								1936	1936		1936	1936				1936	1936					
USP 9, 40 w/Sure Fire 6V Light Classic #609R		4.13"								931	931													
USP 9, 40 w/H&K USP Light Cocked & Locked Only		4.13"								922	922													
USP 9, 40 w/LAS/TAC 6V Light by Laser		4.13"								917	917		917	917										
USP 9, 40 w/BA-5 Laser by Laser devices		4.13"								918	918		918	918										
USP 9, 40 w/ OERILIKON LIGHT (LLM-R)		4.13"								914														
USP 9, 40 "Hammer down or Cocked and locked" w/B & T Adapter and IT Tactical light M3, M6, and M3 LED. <b>Note: The Holster will not retain weapon without light attached.</b>		4.13"								9221	9221		9221	9221				9221	9221					
USP 9, 40 D.A.O. w/Surefire mount w/ Insight Technology M3X or M6X light or ITI SSL-1. <b>Note: Holster will not retain weapon without light attached.</b>										19312	19312		19312	19312				19312	19312					
USP 9, 40, 45 W/ HK USP Light Hammer Down N/A for DA only		4.13"														932	932							
HK USP 40C Insight Technology M3, M6 or M3X LED Tactical Illuminator Light or ITI SSL-1, Bobbed Hammer Only <b>Note: N/A for M6X Note: The holsters will not retain weapon without the light attached</b>		3.58"								29111	29111		29111	29111				29111	29111					
USP 45 LEM (D.A.O. (Bobbed Hammer)) w/Surefire X200 light adapter with Surefire X200 light <b>Note:the holsters will not retain the handgun w/out the light attached</b>		4.41"								1930	1930		1930	1930		1930	1930	1930	1930					
USP 45 w/H&K Light (UTL)		4.41"								932	932		932											
USP 45 w/H&K USP Light Cocked & Locked Only		4.41"								922	922													

Gun Mfg. / Model	BBL	2	200	2005	295	2955	070	0705	6004	6005	284	6280	6285	5181	5187	5188	6281	6518	6360	6365	6304	6305	
USP 45 w/Sure Fire 6V Light #CLASSIC 609R	4.41"								931	931													
P2000 (U.S. Version) w/ ITI M3/M6 Light.	3.5"								19721	19721		19721	19721					19721	19721				
P2000 (US Version) DAO, Bobbed Hammer, w/Insight Technology M3X Light Only	3.66"								9711	9711		9711	9711					9711	9711				
P2000 DAO (bobbed Hammer) with B&T adaptor and a Glock Light System: Models: GTL 10 (light only), GTL21 (light/laser combination),GTL22 (light/laser combination),GTL51(light/laser combination), GTL52(light/laser with dim-switch)	3.50"								9710	9710		9710	9710						9710				
P2000 Europea Version with B & T adapter (TL P2000) with M3/M6 IT tactical illuminator light or ITI SSL-1 ( <b>Holster will not retain weapon without light attached</b> )									9721	9721		9721	9721					9721	9721				
<b>Kimber</b>		<b>2</b>	<b>200</b>	<b>2005</b>	<b>295</b>	<b>2955</b>	<b>070</b>	<b>0705</b>	<b>6004</b>	<b>6005</b>	<b>284</b>	<b>6280</b>	<b>6285</b>	<b>5181</b>	<b>5187</b>	<b>5188</b>	<b>6281</b>	<b>6518</b>	<b>6360</b>	<b>6365</b>	<b>6304</b>	<b>6305</b>	
1911 w/rails: Gold Combat RL;Custom TLE/RL w/Surefire X200 light <b>Note:holster will not retain weapon without light attached</b>	5.00"								5340	5340		5340	5340					5340	5340				
CLASSIC CUSTOM w/Sure Fire 3V #310	4.60"								533	533													
CUSTOM Royale w/Sure Fire 3V #310	4.60"								533	533													
Gold Match w/Sure Fire 3V #310	4.60"								533	533													
Gold Combat RL II Warrior w/light rail w/Streamlight M3, M6 or M3 LED	5.00"								5621	5621		5621	5621										
<b>Para Ordnance</b>		<b>2</b>	<b>200</b>	<b>2005</b>	<b>295</b>	<b>2955</b>	<b>070</b>	<b>0705</b>	<b>6004</b>	<b>6005</b>	<b>284</b>	<b>6280</b>	<b>6285</b>	<b>5181</b>	<b>5186</b>	<b>5188</b>	<b>6281</b>	<b>6518</b>	<b>6360</b>	<b>6365</b>	<b>6304</b>	<b>6305</b>	
P-14 w/Sure Fire 6V Light #310	5.00"								533	533													
P-14 w/Sure Fire 6V Light #610R	5.00"								536	536													
<b>Sphinx</b>		<b>2</b>	<b>200</b>	<b>2005</b>	<b>295</b>	<b>2955</b>	<b>070</b>	<b>0705</b>	<b>6004</b>	<b>6005</b>	<b>284</b>	<b>6280</b>	<b>6285</b>	<b>5181</b>	<b>5187</b>	<b>5188</b>	<b>6281</b>	<b>6518</b>	<b>6360</b>	<b>6365</b>	<b>6304</b>	<b>6305</b>	
3000 cocked and locked w/ITI LAM light	3.75"								1825	1825		1825	1825					1825	1825				
3000 cocked and locked w/ITI LAM light	4.50"								1825	1825		1825	1825					1825	1825				
3000 Hammer down or cocked & locked with IT M3X or M6X light . <b>(Note holster will not retain weapon without light attached)</b>	3.75"								18212	18212													
3000 Hammer down or cocked & locked with IT M3X or M6X light . <b>(Note holster will not retain weapon without light attached)</b>	4.50"								18212	18212													
<b>Sig Sauer</b>		<b>2</b>	<b>200</b>	<b>2005</b>	<b>295</b>	<b>2955</b>	<b>070</b>	<b>0705</b>	<b>6004</b>	<b>6005</b>	<b>284</b>	<b>6280</b>	<b>6285</b>	<b>5181</b>	<b>5187</b>	<b>5188</b>	<b>6281</b>	<b>6518</b>	<b>6360</b>	<b>6365</b>	<b>6304</b>	<b>6305</b>	
Sig Pro P2022 with Insight Technology <b>M3, M6 or M3 LED</b> Tactical Illuminator light or ITI SSL-1.Or Streamlight TLR-1 and TLR-2. <b>Note: The holster will not retain handgun w/o light attached.</b>	3.50"								27821	27821		27821	27821					27821	27821				
Sig P220R DAK, P226R DAK (with bobbed hammer) with ITI 3M or M6 light or ITI SSL-1. Or Streamlight TLR-1 and TLR-2. Note: holster will not retain gun without light attached.	4.41"								27721	27721		27721	27721					27721	27721				
Sig P220R DAK, P226R DAK (with bobbed hammer) with Sure-Fire X200 Light. <b>Note: Holster will not retain weapon without light attached.</b>	4.41"								2770	2770		2770	2770					2770	2770				
P229 w/ ITI mount and ITI M3X light	3.86"								7411	7411													
P220R, P226R DASA/ DAK W/ Accessory Rails W/ M3 or M6 ITI Tactical Illuminator Light, TLR-1, TLR-2, Surefire X200, LAS-TAC 2	4.41"														77421	77421							
P220R, P226R DASA/ DAK W/ Accessory Rails W/ M3 or ITI Tactical Illuminator Light, TLR-1, Surefire X200, LAS-TAC 2 <b>NOTE: This Holster will retian weapon with or without light attached</b>	X 4.50"																		7742	7742	7742	7742	
P228,P229 with M3, M6, M3 LED light with ITI mount. Or Streamlight TLR-1 and TLR-2.									7421	7421		7421	7421					7421	7421				

Gun Mfg. / Model		BBL.	2	200	2005	295	2955	070	0705	6004	6005	284	6280	6285	5181	5187	5188	6281	6518	6360	6365	6304	6305	
P229R DASA (Spurred Hammer) with accy rails with M3, M6 or M3 LED light; <b>Or Streamlight TLR-1 and TLR-2. Note: holster will not retain weapon without light attached. N/A M3X, M6X.</b>		3.90"								74421	74421		74421	74421				74421	74421					
P229 R DAK with Light Rails; Bobbed Hammer with IT Tactical Illuminator Light M3, M6 and M3 LED. Or Streamlight TLR-1 and TLR-2. <b>Note: The Holster will not retain weapon without light attached.</b>										17421	17421		17421	17421				17421	17421					
P229R DAK Bobbed Hammer w/ Insight Technology M3X or M6X light. <b>Note: Holster will not retain pistol without light attached.</b>		3.9"								17412	17412		17412	17412				17412	17412					
P229 R DAK w/bobbed hammer with Surefire X200 light <b>Note: The Holster will not retain weapon without light attached.</b>		3.9"								1740	1740		1740	1740				1740	1740					
P229R DASA w/Spurred Hammer w/Surefire X200 Light <b>(Note holster will not retain weapon without light attached.</b>		3.9"								7440	7440		7440	7440				7440	7440					
P226 (full size hammer) with Insight Technology Mount (IT), Streamlight Tactical Illuminator Light Model <b>M3, M6 or M3 LED</b> Or Streamlight TLR-1 and TLR-2. <b>Note: holsters will not retain weapon without the light attached.</b>		4.41"								7721	7721		7721	7721				7721	7721					
P220, P226 w/Sure-Fire 3v #314, #332		4.41"								773	773													
P220, P226 w/Sure-Fire 6v #614R, # 632R		4.41"								771	771													
P220, P226 w/Sure-Fire 6v & 3V w/LAS TACT LIGHT LASER HOUSING 3A PISTOL LASER		4.41"								772	772													
P220, P226 w/Sure-Fire Military Series Light W113, W113C, W113D & W114, W114C, W114D <b>with or w/out light</b>	X	4.41"								778	778		778	778				778	778					
P220R, P220S P226S, P226SO, P226R w/Accy Rails (DASA Spurred Hammer) w/#P004 Light		4.41"								7746	7746		7746	7746										
P220R, P220S P226S, P226SO, P226R w/Accy Rails (DASA Spurred Hammer) w/M3 or M6 IT Tac Illuminator Light. Or Streamlight TLR-1 and TLR-2.		4.41"								77421	77421		77421	77421				77421	77421					
<b>P220R, P226R</b> (DASA Spurred Hammer) w/Insight Technology Streamlight M3X or M6X Tac Illuminator Light <b>(holster will not retain handgun w/o light attached)</b>		4.41"								77412	77412		77412	77412				77412	77412					
P220SO, P220ST, P220R, P226R (DASA Spurred Hammer) w/Sure Fire X200 Light <b>(holster will not retain handgun w/o light attached)</b>		4.41"								7740	7740		7740	7740				7740	7740					
P220, P226 with IT Mount and Insight Technology M3X, M6X. <b>Note: The Holster will not retain weapon without light attached.</b>		4.41"								7712	7712		7712	7712				7712	7712					
P225, P228, 229 w/Sure-Fire 6v #640R		3.9"								741	741													
P226 w/ITI LAM UNIT <b>with or w/out light</b>	X	4.41"								775	775													
P226 w/Sure-Fire Millennium Light , M114C, M114D, M114 <b>with or w/out light</b>	X	4.41"								779	779													
P226 w/Sure-Fire <b>NITROLON</b> P113, P113C, P113D & P114, P114C, P114D <b>with or w/out light</b>	X	4.41"								776	776		778	778				778	778					
P220R P226R (DASA Spurred Hammer) w/Accy Rails w/Laser/Tactical 2 (6v) from Laser Device Inc. Insight Technology Mount (IT), Streamlight Tactical Illuminator Light Model M3, M6 or M3 LED										77421	77421		77421	77421				77421	77421					
Sig Pro SP 2340 LDI Laser #20872 or LDI LASER #20871		3.9"								782	782													
Sig Pro SPC 2009 w/Sig metal rail adaptor and IT streamlight M3 tactical illuminator light <b>Note: The holster will not retain weapon without light attached</b>		3.5"								2782	2782		2782	2782				2782	2782					

Gun Mnfg. / Model		BBL.	2	200	2005	295	2955	070	0705	6004	6005	284	6280	6285	5181	5187	5188	6281	6518	6360	6365	6304	6305	
1911 GSR w/ ITI M3, M6, or Streamlight TLR-1, TLR-2, or Surefire X200, SSL-1 <b>Note: Holster will NOT retain weapon without light attached</b>		5.00"								25621	25621		25621	25621				25621	25621					
<b>Smith &amp; Wesson</b>	X		2	200	2005	295	2955	070	0705	6004	6005	284	6280	6285	5181	5187	5188	6281	6518	6360	6365	6304	6305	
4006TSW, 4046TSW w/ITI M5 Streamlight Light		4.00"								1402	1402		1402											
4506-1 w/Sure Fire 6V Light		5.00"								2101	2101													
5906TSW, 5946 w/M5 ITI Streamlight Light		4.00"								1402	1402		1402											
4566 TSW w/light rails and ITI Streamlight M5		4.125"								4302	4302		4302	4302					4302	4302				
99 W/ITI Streamlight M5		4.00"								842	842		842											
SW M&P W/ M3 or M6 IT Tactical Illuminator, Streamlight TRL1 or TRL2		4.50"								21921	21921		21921	21921					21921	21921				
<b>Springfield Armory</b>			2	200	2005	295	2955	070	0705	6004	6005	284	6280	6285	5181	5187	5188	6281	6518	6360	6365	6304	6305	
1911 Operator w/Laser/Tac 2 (6v) from Laser Device Inc. Or Streamlight TLR-1 and TLR-2.		5.00"								5621	5621		5621	5621					5621	5621				
1911 w/rails: Operator w/Surefire X200 light <b>Note:holster will not retain weapon without light attached</b>		5.00"								5340	5340		5340	5340										
1911-A1 w/Sure Fire 3V Light#310		5.00"								533	533													
1911-A1 w/Sure Fire 6V Light#610R		5.00"								536	536													
1911-A1 Non Rail, w/Surefire mount MR07, w/Surefire x200 Light		5.00"								530	530		530	530					530	530				
Operator 1911-A1 w/ M3, M6 or M3 LED StreamLight		5.00"								5621	5621		5621	5621					5621	5621				
Operator 1911-A1 w/ M6X or M3X StreamLight or ITI SSL-1		5.00"								5612	5612		5612	5612					5612	5612				
XD 9mm, .40, .45 w/ITI M3, M6, TLR-1, TLR-2, Surefire X200, LAS-TAC 2 <b>Note: Holster will NOT retain weapon without light attached</b>		4.00"								14821	14821		14821	14821					14821	14821				
<b>ST/SLVI</b>			2	200	2005	295	2955	070	0705	6004	6005	284	6280	6285	5181	5187	5188	6281	6518	6360	6365	6304	6305	
1911 w/rails: Infinity Lighted Gun, STI 2011 Tactical, Tactical Lite, Duty One w/Surefire X200 light <b>Note:holster will not retain weapon without light attached</b>		5.00"								5340	5340		5340	5340					5340	5340				
STI Tactical w/ M3, M6, M3 LED StreamLight, TLR-1, TLR-2		5.00"								5621	5621		5621	5621					5621	5621				
<b>Walther</b>			2	200	2005	295	2955	070	0705	6004	6005	284	6280	6285	5181	5187	5188	6281	6518	6360	6365	6304	6305	
P99 w/Laser B5 and with optional accessories Rail		4.00"								848	848		848	848										
<b>Wilson</b>			2	200	2005	295	2955	070	0705	6004	6005	284	6280	6285	5181	5187	5188	6281	6518	6360	6365	6304	6305	
1911 w/rails: CQB w/Surefire X200 light <b>Note:holster will not retain weapon without light attached</b>		5.00"								5340	5340		5340	5340					5340	5340				
1911 CQB w/light rail with M3/M6 light		5.00"								5621	5621		5621	5621										
Although Safariland has attempted to provide accurate information regarding which specific holster models were designed to accommodate specifically identified handguns, human error such as typographical mistakes can and do occur.																								
<b>Therefore, Safariland disclaims any responsibility or liability for, or the consequences resulting from, such errors and urges any user of this information to personally check for holster/handgun compatibility using the actual product.</b>																								